

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.09.2021

Version number 4 (replaces version 3)

Revision: 09.09.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name** ALGEN- UND SCHIMMELSTOPP COLO AS 50
- **Article number:** 12125/4
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Alkaline cleaner/ detergent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
MUREXIN GmbH  
Franz v. Furtenbachstr. 1  
A-2700 Wiener Neustadt  
Tel.: +43 (0)2622/27401
- **Informing department:** chemikalieninfo@murexin.com
- **1.4 Emergency telephone number:**  
UK National poisons Emergency number.: +44 (0) 870 600 6266

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



corrosion

- |               |   |
|---------------|---|
| Met. Corr. 1  | H290 May be corrosive to metals.              |
| Skin Corr. 1A | H314 Causes severe skin burns and eye damage. |
| Eye Dam. 1    | H318 Causes serious eye damage.               |



environment

- |                   |   |
|-------------------|---|
| Aquatic Acute 1   | H400 Very toxic to aquatic life.                      |
| Aquatic Chronic 2 | H411 Toxic to aquatic life with long lasting effects. |

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05 GHS09

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
sodium hypochlorite, solution  
sodium hydroxide
- **Hazard statements**  
H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.
- **Precautionary statements**  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 09.09.2021

Version number 4 (replaces version 3)

Revision: 09.09.2021

Trade name **ALGEN- UND SCHIMMELSTOPP COLO AS 50**

(Contd. of page 1)

- P103 Read carefully and follow all instructions.
- P260 Do not breathe dusts or mists.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture consisting of the following components with harmless additives.

- **Dangerous components:**

CAS: 7681-52-9 EINECS: 231-668-3	sodium hypochlorite, solution ----- ☞ Met. Corr. 1, H290; Skin Corr. 1B, H314 ☞ Aquatic Acute 1, H400 (M=10) EUH031 Specific concentration limit: EUH031: C ≥ 5 %	2.5-5%
CAS: 1310-73-2 EINECS: 215-185-5	sodium hydroxide ----- ☞ Met. Corr. 1, H290; Skin Corr. 1A, H314 ☞ Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	1-2.5%

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Instantly remove any clothing soiled by the product.
- **After inhalation**  
Take affected persons into the open air and position comfortably  
Seek medical treatment in case of complaints.  
In case of unconsciousness bring patient into stable side position for transport.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.
- **After swallowing**  
Do not induce vomiting; instantly call for medical help.  
Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

GB

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.09.2021

Version number 4 (replaces version 3)

Revision: 09.09.2021

Trade name ALGEN- UND SCHIMMELSTOPP COLO AS 50

(Contd. of page 2)

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
Use fire fighting measures that suit the environment.  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**  
Can be released in case of fire  
Carbon monoxide (CO)  
Hydrogen chloride (HCl)
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained breathing apparatus.  
Wear full protective suit.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Cool endangered containers with water spray jet.  
Collect contaminated fire fighting water separately. It must not enter drains.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Put on breathing apparatus.  
Wear protective clothing.
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or water bodies.  
Do not allow to enter the ground/soil.  
Dilute with much water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralising agent.  
Dispose of contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Keep containers tightly sealed.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep breathing equipment ready.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**  
Use only containers specifically permitted for this substance/product.  
Store only in the original container.
- **Information about storage in one common storage facility:**  
Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.
- **Further information about storage conditions:**  
Keep container tightly sealed.

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.09.2021

Version number 4 (replaces version 3)

Revision: 09.09.2021

Trade name ALGEN- UND SCHIMMELSTOPP COLO AS 50

(Contd. of page 3)

- Store container in a well ventilated position.
- **Storage class 8 B**
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures**  
The usual precautionary measures should be adhered to in handling the chemicals.  
Keep away from foodstuffs, beverages and food.  
Instantly remove any soiled and impregnated garments.  
Do not eat, drink or smoke while working.  
Wash hands during breaks and at the end of the work.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.
- **Breathing equipment:**  
Use breathing protection in case of insufficient ventilation.  
Use breathing protection only when aerosol or mist is formed.  
Filter A.
- **Hand protection** Protective gloves.
- **Material of gloves**  
Nitrile rubber, NBR  
Butyl rubber, BR  
Fluorocarbon rubber (Viton)
- **Penetration time of glove material**  
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection** Tightly sealed safety glasses.
- **Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Colour:** Light yellow
- **Smell:** Like chlorine
- **Melting point/freezing point:** -11 °C
- **Boiling point or initial boiling point and boiling range** 99 °C
- **Lower and upper explosion limit**
- **Lower:** n.a. Vol %
- **Upper:** n.a. Vol %
- **Flash point:** Not applicable
- **Self-inflammability:** Product is not selfigniting.
- **pH at 20 °C** 13
- **Viscosity:**
- **dynamic:** Not determined.

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.09.2021

Version number 4 (replaces version 3)

Revision: 09.09.2021

Trade name ALGEN- UND SCHIMMELSTOPP COLO AS 50

(Contd. of page 4)

- **Solubility**
- **Water:** completely mixable
- **Steam pressure at 50 °C:** 3,000 hPa
- **Density and/or relative density**
- **Density at 20 °C** 1.1 g/cm<sup>3</sup>
- **9.2 Other information**
- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** n.a. °C
- **Explosive properties:** Product is not explosive.
- **Information with regard to physical hazard classes**
- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals**  
May be corrosive to metals.
- **Desensitised explosives** Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Forms hydrogen in aqueous solution with metals
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

**1310-73-2 sodium hydroxide**

Oral	LD50	2,000 mg/kg (rat)
------	------	-------------------

- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.09.2021

Version number 4 (replaces version 3)

Revision: 09.09.2021

Trade name ALGEN- UND SCHIMMELSTOPP COLO AS 50

(Contd. of page 5)

- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) -**
- **11.2 Information on other hazards**

· <b>Endocrine disrupting properties</b>
--

None of the ingredients is listed.
------------------------------------

## SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**  
Must not reach sewage water or drainage ditch undiluted or unneutralised.  
Very toxic for aquatic organisms  
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values.  
A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.  
Water hazard class (Germany) 2 (Self-assessment): hazardous for water.  
Do not allow product to reach ground water, water bodies or sewage system.  
Danger to drinking water if even small quantities leak into soil.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:**  
Disposal must be made according to official regulations.  
Non contaminated packagings can be used for recycling.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

GB

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.09.2021




Version number 4 (replaces version 3)

Revision: 09.09.2021

Trade name ALGEN- UND SCHIMMELSTOPP COLO AS 50

(Contd. of page 6)

### SECTION 14: Transport information

<ul style="list-style-type: none"> <li>· 14.1 UN number or ID number</li> <li>· ADR, IMDG, IATA</li> </ul>	UN1719
<ul style="list-style-type: none"> <li>· 14.2 UN proper shipping name</li> <li>· ADR</li> <li>· IMDG, IATA</li> </ul>	1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, HYPOCHLORITE SOLUTION), ENVIRONMENTALLY HAZARDOUS CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, HYPOCHLORITE SOLUTION)
<ul style="list-style-type: none"> <li>· 14.3 Transport hazard class(es)</li> <li>· ADR</li> </ul>	 
<ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>	8 Corrosive substances. 8
<ul style="list-style-type: none"> <li>· IMDG, IATA</li> </ul>	
<ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>	8 Corrosive substances. 8
<ul style="list-style-type: none"> <li>· 14.4 Packing group</li> <li>· ADR, IMDG, IATA</li> </ul>	II
<ul style="list-style-type: none"> <li>· 14.5 Environmental hazards:</li> <li>· Marine pollutant:</li> <li>· Special marking (ADR):</li> </ul>	Product contains environmentally hazardous substances: sodium hypochlorite, solution No Symbol (fish and tree)
<ul style="list-style-type: none"> <li>· 14.6 Special precautions for user</li> <li>· Kemler Number:</li> <li>· EMS Number:</li> <li>· Segregation groups</li> <li>· Stowage Category</li> <li>· Segregation Code</li> </ul>	Warning: Corrosive substances. 80 F-A, S-B Alkalis A SG22 Stow "away from" ammonium salts SG35 Stow "separated from" SGG1-acids
<ul style="list-style-type: none"> <li>· 14.7 Maritime transport in bulk according to IMO instruments</li> </ul>	Not applicable.
<ul style="list-style-type: none"> <li>· Transport/Additional information:</li> </ul>	
<ul style="list-style-type: none"> <li>· ADR</li> <li>· Limited quantities (LQ)</li> <li>· Transport category</li> <li>· Tunnel restriction code</li> </ul>	1L 2 E
<ul style="list-style-type: none"> <li>· UN "Model Regulation":</li> </ul>	UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (SODIUM HYDROXIDE, HYPOCHLORITE SOLUTION), 8, II, ENVIRONMENTALLY HAZARDOUS

GB

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 09.09.2021

Version number 4 (replaces version 3)

Revision: 09.09.2021

Trade name ALGEN- UND SCHIMMELSTOPP COLO AS 50

(Contd. of page 7)

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category E1** Hazardous to the Aquatic Environment
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant phrases**

H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H400 Very toxic to aquatic life.  
 EUH031 Contact with acids liberates toxic gas.

- **Contact:** chemikalieninfo@murexin.com (+43 02622/27401)

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 ICAO: International Civil Aviation Organisation  
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Met. Corr. 1: Corrosive to metals – Category 1  
 Acute Tox. 4: Acute toxicity – Category 4  
 Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

- **\* Data compared to the previous version altered.**

GB