Printing date 13.09.2021

Revision: 13.09.2021

```
SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
· Trade name BODENHÄRTER BH 400
· 1.2 Relevant identified uses of the substance or mixture and uses advised against
 No further relevant information available.
· Application of the substance / the mixture Concrete/Mortar admixtures
· 1.3 Details of the supplier of the safety data sheet
· Manufacturer/Supplier:
 MUREXIN GmbH
 Franz v. Furtenbachstr. 1
 A-2700 Wiener Neustadt
 Tel.: +43 (0)2622/27401
· Informing department: chemikalieninfo@murexin.com
1.4 Emergency telephone number:
 UK National poisons Emergency number.: +44 (0) 870 600 6266
 SECTION 2: Hazards identification
· 2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008
         corrosion
 Eye Dam. 1 H318 Causes serious eye damage.
            H315 Causes skin irritation.
 Skin Irrit. 2
 Skin Sens. 1 H317 May cause an allergic skin reaction.
 STOT SE 3 H335 May cause respiratory irritation.
· 2.2 Label elements
· Labelling according to Regulation (EC) No 1272/2008
 The product is classified and labelled according to the CLP regulation.
Hazard pictograms
 GHS05 GHS07
· Signal word Danger
· Hazard-determining components of labelling:
 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)
· Hazard statements
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H317 May cause an allergic skin reaction.
 H335 May cause respiratory irritation.
Precautionary statements
 P101
                   If medical advice is needed, have product container or label at hand.
 P102
                   Keep out of reach of children.
                   Read carefully and follow all instructions.
 P103
 P261
                   Avoid breathing dust/fume/gas/mist/vapours/spray.
 P280
                   Wear protective gloves / eye protection / face protection.
                                                                                 (Contd. on page 2)
                                                                                              GB
```

Printing date 13.09.2021

Version number 6 (replaces version 5)

Revision: 13.09.2021

Trade name BODENHÄRTER BH 400

P305+P351+P3	(Contd. of page 1) 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P362+P364	Take off contaminated clothing and wash it before reuse.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
· 2.3 Other haza	•

2.3 Other nazards

Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

· Dangerous components:

CAS: 65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 25-50% EINECS: 266-043-4 (REACH) Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information Instantly remove any clothing soiled by the product.

After inhalation

In case of unconsciousness bring patient into stable side position for transport.

Supply fresh air; consult doctor in case of symptoms.

[•] After skin contact

If skin irritation continues, consult a doctor.

Instantly wash with water and soap and rinse thoroughly.

- After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.
- · After swallowing
- In case of persistent symptoms consult doctor.

Rinse out mouth and then drink plenty of water.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- [·] Suitable extinguishing agents

Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- For safety reasons unsuitable extinguishing agents Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 13.09.2021

Version number 6 (replaces version 5)

Revision: 13.09.2021

Trade name BODENHÄRTER BH 400

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- **6.3 Methods and material for containment and cleaning up:** Use neutralising agent. Dispose of contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Thorough dedusting. Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust.

· Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.

Store under dry conditions.

• Storage class 13

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

• Components with critical values that require monitoring at the workplace:

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

WEL Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

· Additional information: The lists that were valid during the compilation were used as basis.

- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Breathing equipment:

Breathing protection recommended.

Filter P2.

(Contd. on page 4)

^{· 8.2} Exposure controls

[—] GB

Printing date 13.09.2021

Version number 6 (replaces version 5)

Revision: 13.09.2021

Trade name BODENHÄRTER BH 400

(Contd. of page 3)

• Hand protection Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Tightly sealed safety glasses.

· Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemi	cal properties
· General Information	
· Colour:	Grey
· Smell:	Odourless
Boiling point or initial boiling point and	
boiling range	Not determined
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable
· Self-inflammability:	Product is not selfigniting.
· Decomposition temperature:	Not determined.
· pH	Not applicable.
· Solubility	
-	Deutly unionible
Water:	Partly miscible
· Partition coefficient n-octanol/water (log	
value)	Not determined.
 Steam pressure at 1732 °C: 	13.5 hPa (QUARZSAND)
Density and/or relative density	
[.] Density at 20 °C	2-2.2 g/cm ³
· Relative density	Not determined.
· Vapour density	Not applicable.
9.2 Other information	
· Appearance:	
· Form:	Powder
· Important information on protection of healt	
	0
and environment, and on safety.	Dreduct is not evaluative
• Explosive properties:	Product is not explosive.
Solvent content:	400.0.0/
Solids content:	100.0 %
Change in condition	
· Evaporation rate	Not applicable.
Information with regard to physical hazar	d
classes	
Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
	voiu
	(Contd. on page 5

Printing date 13.09.2021

Version number 6 (replaces version 5)

Revision: 13.09.2021

Trade name BODENHÄRTER BH 400

		(Contd. of page 4
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

Dermal LD50 mg/kg (rat)

- Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties
- None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

— GB

Printing date 13.09.2021

Version number 6 (replaces version 5)

Revision: 13.09.2021

(Contd. of page 5)

Trade name BODENHÄRTER BH 400

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

· Additional ecological information:

General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water danger class (Germany) 3 (Self-assessment): extremely hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accordi	ing to	
IMO instruments	Not applicable.	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 7)

GB

Printing date 13.09.2021

Version number 6 (replaces version 5)

Revision: 13.09.2021

Trade name BODENHÄRTER BH 400

					(0	Co	nt	d.	С	of	page	6)
 1.	-	_		-			- 1	-		. 1		

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a gu for any specific product features and shall not establish a legally valid contractual relationship	
<i>Relevant phrases</i> H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.	
 Contact: chemikalieninfo@murexin.com (+43 02622/27401) Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Re Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Contentational Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 	
• * Data compared to the previous version altered.	GB