Printing date 22.11.2021

Revision: 22.11.2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

- Trade name BITUMINOUS SEALING COATING 2 K STANDARD COMP.A
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Bitumen high build coating
- · 1.3 Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401

· Informing department: chemikalieninfo@murexin.com

1.4 Emergency telephone number:

UK National poisons Emergency number.: +44 (0) 870 600 6266

# SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

<sup>•</sup> 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:
- Contains 1,2-benzisothiazol-3(2H)-one, 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.
- <sup>•</sup> 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

# SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture consisting of the following components with harmless additives.

· Dangerous components: CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one <0.05% EINECS: 220-120-9 📀 Eve Dam. 1, H318 🚯 Aquatic Acute 1, H400 🗘 Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317:  $C \ge 0.05 \%$ CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one <0.0015% EINECS: 220-239-6 🔶 Acute Tox. 3, H311; Acute Tox. 2, H330 \land Skin Corr. 1B, H314 🔥 Aquatic Acute 1, H400 (M=10) Acute Tox. 4, H302; Skin Sens. 1, H317; STOT SE 3, H335 Specific concentration limit: Skin Sens. 1A; H317: C  $\geq$  0.0015 % GB

(Contd. on page 2)

Printing date 22.11.2021

Version number 12 (replaces version 11)

Revision: 22.11.2021

# Trade name BITUMINOUS SEALING COATING 2 K STANDARD COMP.A

(Contd. of page 1)

# SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information No special measures required.
- After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# SECTION 5: Firefighting measures

- <sup>·</sup> 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

# SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- 6.2 Environmental precautions:
- Do not allow product to reach sewage system or water bodies.
- Dilute with much water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- 6.4 Reference to other sections
- No dangerous materials are released.
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

# SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- ·7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Protect from frost.
- Keep container tightly sealed.

Storage class 12

• 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 3)

Printing date 22.11.2021

Version number 12 (replaces version 11)

Revision: 22.11.2021

# Trade name BITUMINOUS SEALING COATING 2 K STANDARD COMP.A

(Contd. of page 2)

SECTION 8: Exposure controls/person	nal protection	
8.1 Control parameters		
Components with critical values that requi	ire monitoring at the workplace:	
	antities of materials with critical values that have to b	
monitored at the workplace.		
	alid during the compilation were used as basis.	
8.2 Exposure controls Appropriate engineering controls No furthe	ar data: see item 7	
Individual protection measures, such as pe		
General protective and hygienic measures		
The usual precautionary measures should be adhered to in handling the chemicals.		
Keep away from foodstuffs, beverages and fo		
Instantly remove any soiled and impregnated		
Wash hands during breaks and at the end of t		
Breathing equipment: Not required.		
Hand protection Protective gloves.		
Material of gloves		
Use gloves of stable material (e.g. Nitrile) - if r	necessary tricoted to improve the wearability.	
Penetration time of glove material		
	l out by the manufacturer of the protective gloves and	
has to be observed.		
Eye/face protection Safety glasses		
Body protection: Protective work clothing.		
SECTION 9: Physical and chemical pro	operties	
	-	
9.1 Information on basic physical and cher	-	
9.1 Information on basic physical and cher General Information	mical properties	
9.1 Information on basic physical and cher General Information Colour:	mical properties Dark brown	
9.1 Information on basic physical and cher General Information Colour: Smell:	mical properties Dark brown Light	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point:	mical properties Dark brown	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and	<i>mical properties</i> Dark brown Light ca. 0 °C	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range	mical properties Dark brown Light	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit	mical properties Dark brown Light ca. 0 °C 100 °C	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower:	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol %	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper:	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol % n.a. Vol %	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point:	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol % n.a. Vol % Not applicable	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability:	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol % n.a. Vol % Not applicable Product is not selfigniting.	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: pH at 20 °C	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol % n.a. Vol % Not applicable	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: pH at 20 °C Solubility	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol % n.a. Vol % Not applicable Product is not selfigniting. 11	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: pH at 20 °C Solubility Water:	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol % n.a. Vol % Not applicable Product is not selfigniting. 11 Not determined.	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: pH at 20 °C Solubility Water: Steam pressure at 20 °C:	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol % n.a. Vol % Not applicable Product is not selfigniting. 11	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: pH at 20 °C Solubility Water: Steam pressure at 20 °C: Density and/or relative density	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol % n.a. Vol % Not applicable Product is not selfigniting. 11 Not determined. 23 hPa	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: pH at 20 °C Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol % n.a. Vol % Not applicable Product is not selfigniting. 11 Not determined.	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: pH at 20 °C Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol % n.a. Vol % Not applicable Product is not selfigniting. 11 Not determined. 23 hPa	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: pH at 20 °C Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance:	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol % n.a. Vol % Not applicable Product is not selfigniting. 11 Not determined. 23 hPa 1 g/cm <sup>3</sup>	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: pH at 20 °C Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form:	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol % n.a. Vol % Not applicable Product is not selfigniting. 11 Not determined. 23 hPa 1 g/cm <sup>3</sup>	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: pH at 20 °C Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of hea	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol % n.a. Vol % Not applicable Product is not selfigniting. 11 Not determined. 23 hPa 1 g/cm <sup>3</sup>	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: pH at 20 °C Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of hea and environment, and on safety.	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol % n.a. Vol % Not applicable Product is not selfigniting. 11 Not determined. 23 hPa 1 g/cm <sup>3</sup> Pasty Path	
9.1 Information on basic physical and cher General Information Colour: Smell: Melting point/freezing point: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: pH at 20 °C Solubility Water: Steam pressure at 20 °C: Density and/or relative density Density at 20 °C 9.2 Other information Appearance: Form: Important information on protection of hea	mical properties Dark brown Light ca. 0 °C 100 °C n.a. Vol % n.a. Vol % Not applicable Product is not selfigniting. 11 Not determined. 23 hPa 1 g/cm <sup>3</sup>	

Printing date 22.11.2021

Version number 12 (replaces version 11)

Revision: 22.11.2021

#### Trade name BITUMINOUS SEALING COATING 2 K STANDARD COMP.A

		(Contd. of page
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None

# SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity* Based on available data, the classification criteria are not met.

• **STOT-single exposure** Based on available data, the classification criteria are not met.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- $\cdot$  CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -
- · 11.2 Information on other hazards

# · Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 5)

GF

Printing date 22.11.2021

#### Trade name BITUMINOUS SEALING COATING 2 K STANDARD COMP.A

(Contd. of page 4)

· 12.1 Toxicity

· Aquatic toxicity:

2682-20-4 2-methyl-2H-isothiazol-3-one

EC 50 1.68 mg/l (Daphnia magna (Großer Wasserfloh))

• 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

<sup>•</sup> 12.7 Other adverse effects

· Additional ecological information:

· General notes:

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

#### SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed with household garbage.

· Uncleaned packagings:

· Recommendation:

Disposal must be made according to official regulations.

*Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.* 

· Recommended cleaning agent: Water, if necessary with cleaning agent.

# SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Maritime transport in bulk accord IMO instruments</li> </ul>	i <b>ng to</b> Not applicable.	
		(Contd. on page 6)

Printing date 22.11.2021

Version number 12 (replaces version 11)

Revision: 22.11.2021

#### Trade name BITUMINOUS SEALING COATING 2 K STANDARD COMP.A

(Contd. of page 5)

· UN "Model Regulation":

Void

# SECTION 15: Regulatory information

<sup>•</sup> 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

· Contact: chemikalieninfo@murexin.com (+43 02622/27401)

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerou's Goods by Rail) ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

\*\* Data compared to the previous version altered.

GB ·