Printing date 15.09.2021 Version number 24 (replaces version 23) Revision: 15.09.2021 SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name EPOXY-BASISHARZ EP 70 BM KOMP A · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture Epoxy resin · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401 · Informing department: chemikalieninfo@murexin.com 1.4 Emergency telephone number: UK National poisons Emergency number.: +44 (0) 870 600 6266 SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 health hazard Ŷ Muta. 2 H341 Suspected of causing genetic defects. environment Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects. H315 Causes skin irritation. Skin Irrit. 2 Eye Irrit. 2 H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. Skin Sens. 1 · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 GHS08 GHS09 · Signal word Warning · Hazard-determining components of labelling: 2,3-epoxypropyl o-tolyl ether bis[4-(2,3-epoxypropoxy)phenyl]propane · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects. H411 Toxic to aquatic life with long lasting effects. (Contd. on page 2)

Printing date 15.09.2021

Version number 24 (replaces version 23)

Revision: 15.09.2021

Trade name EPOXY-BASISHARZ EP 70 BM KOMP A

	(Contd. of page 1)
• Precautionary	statements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.
 Additional info 	ormation:
Contains epoxy	constituents. May produce an allergic reaction.
2.3 Other haza	irds
· Results of PR	T and vPvB assessment

Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

· Dangerous components:			
CAS: 2210-79-9	2,3-epoxypropyl o-tolyl ether	50-100%	
EINECS: 218-645-3	 Muta. 2, H341 Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Skin Sens. 1, H317 		
CAS: 1675-54-3 EINECS: 216-823-5	bis[4-(2,3-epoxypropoxy)phenyl]propane Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 EUH205 Specific concentration limits: Eye Irrit. 2; H319: $C \ge 5$ % Skin Irrit. 2; H315: $C \ge 5$ %	25-50%	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information Instantly remove any clothing soiled by the product.

· After inhalation

Supply fresh air; consult doctor in case of symptoms.

- In case of unconsciousness bring patient into stable side position for transport.
- · After skin contact

If skin irritation continues, consult a doctor.

Instantly wash with water and soap and rinse thoroughly.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

- · After swallowing Seek immediate medical advice.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

GB

Printing date 15.09.2021

Version number 24 (replaces version 23)

Revision: 15.09.2021

Trade name EPOXY-BASISHARZ EP 70 BM KOMP A

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents
- Use fire fighting measures that suit the environment.
- CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: Put on breathing apparatus.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions:
- Do not allow to enter the ground/soil.
- Do not allow product to reach sewage system or water bodies.
- Inform respective authorities in case product reaches water or sewage system.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections
 See Section 7 for information on safe handling
 See Section 8 for information on personal protection equipment.
 See Section 13 for information on disposal.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. No special precautions necessary if used correctly. Information about protection against explosions a

- · Information about protection against explosions and fires: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers:
- Provide floor trough without outlet. Store only in the original container.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:
- Protect from frost.
- Store under dry conditions.
- Keep container tightly sealed.
- · Storage class 10
- · 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

Printing date 15.09.2021

Version number 24 (replaces version 23)

Revision: 15.09.2021

Trade name EPOXY-BASISHARZ EP 70 BM KOMP A

(Contd. of page 3)

SECTION 8: Exposure controls/person				
8.1 Control parameters	ing manufacture of the second states in the			
Components with critical values that requi				
monitored at the workplace.	uantities of materials with critical values that have to b			
	valid during the compilation were used as basis.			
	raild during the compliation were used as basis.			
8.2 Exposure controls				
Appropriate engineering controls No furthe				
Individual protection measures, such as p				
General protective and hygienic measures The usual precautionary measures should be adhered to in handling the chemicals.				
Keep away from foodstuffs, beverages and fo				
Instantly remove any soiled and impregnated garments.				
Wash hands during breaks and at the end of t				
Avoid contact with the eyes and skin.				
Breathing equipment:				
Use breathing protection in case of insufficien	nt ventilation.			
Filter A/P2.				
Hand protection Protective gloves.				
Material of gloves				
Nitrile rubber, NBR				
Butyl rubber, BR				
Penetration time of glove material				
The exact break trough time has to be found	d out by the manufacturer of the protective gloves an			
has to be observed.				
has to be observed. • Eye/face protection Tightly sealed safety gla				
has to be observed.				
has to be observed. • Eye/face protection Tightly sealed safety gla				
has to be observed. • Eye/face protection Tightly sealed safety gla • Body protection: Protective work clothing.	asses.			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro	operties			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro- 9.1 Information on basic physical and chemical	operties			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information	asses. operties mical properties			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Colour:	asses. operties mical properties Yellowish			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Colour: Smell:	asses. operties mical properties			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Colour: Smell: Boiling point or initial boiling point and	asses. operties mical properties Yellowish Mild			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Colour: Smell: Boiling point or initial boiling point and boiling range	asses. operties mical properties Yellowish			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro- 9.1 Information on basic physical and chemical General Information Colour: Smell: Boiling point or initial boiling point and boiling range Lower and upper explosion limit	asses. operties mical properties Yellowish Mild >200 °C			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Colour: Smell: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower:	asses. operties mical properties Yellowish Mild >200 °C Not determined.			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro- 9.1 Information on basic physical and chemical General Information Colour: Smell: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper:	asses. operties mical properties Yellowish Mild >200 °C Not determined. Not determined.			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical physi	asses. operties mical properties Yellowish Mild >200 °C Not determined. Not determined. 113 °C			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical physi	asses. operties mical properties Yellowish Mild >200 °C Not determined. Not determined. 113 °C Product is not selfigniting.			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical physical an	asses. operties mical properties Yellowish Mild >200 °C Not determined. Not determined. 113 °C Product is not selfigniting. Not determined.			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Colour: Smell: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: Decomposition temperature: pH at 20 °C	asses. operties mical properties Yellowish Mild >200 °C Not determined. Not determined. 113 °C Product is not selfigniting.			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Colour: Smell: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: Decomposition temperature: pH at 20 °C Viscosity:	asses. operties mical properties Yellowish Mild >200 °C Not determined. 113 °C Product is not selfigniting. Not determined. 113 °L Product is not selfigniting. Not determined. 12			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Colour: Smell: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: Decomposition temperature: pH at 20 °C Viscosity: dynamic at 20 °C:	asses. operties mical properties Yellowish Mild >200 °C Not determined. Not determined. 113 °C Product is not selfigniting. Not determined.			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical pro 9.2 Colour: 5 Self-inflammability: 5 Decomposition temperature: 9 H at 20 °C 5 Viscosity: 6 dynamic at 20 °C: 5 Solubility	asses. operties mical properties Yellowish Mild >200 °C Not determined. 113 °C Product is not selfigniting. Not determined. 113 °L Product is not selfigniting. Not determined. 12			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro- 9.1 Information on basic physical and chemical General Information Colour: Smell: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: Decomposition temperature: pH at 20 °C Viscosity: dynamic at 20 °C: Solubility Water:	asses. operties mical properties Yellowish Mild >200 °C Not determined. 113 °C Product is not selfigniting. Not determined. 12 500-1,000 mPas			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Colour: Smell: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: Decomposition temperature: pH at 20 °C Viscosity: dynamic at 20 °C: Solubility Water: Partition coefficient n-octanol/water (log	asses. operties mical properties Yellowish Mild >200 °C Not determined. 113 °C Product is not selfigniting. Not determined. 12 500-1,000 mPas			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Colour: Smell: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: Decomposition temperature: pH at 20 °C Viscosity: dynamic at 20 °C: Solubility Water: Partition coefficient n-octanol/water (log value)	asses. operties mical properties Yellowish Mild >200 °C Not determined. 113 °C Product is not selfigniting. Not determined. 12 500-1,000 mPas Not miscible or difficult to mix			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Colour: Smell: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: Decomposition temperature: pH at 20 °C Viscosity: dynamic at 20 °C: Solubility Water: Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C:	asses. operties mical properties Yellowish Mild >200 °C Not determined. 113 °C Product is not selfigniting. Not determined. 12 500-1,000 mPas Not miscible or difficult to mix Not determined.			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro- 9.1 Information on basic physical and chemical General Information Colour: Smell: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: Decomposition temperature: pH at 20 °C Viscosity: dynamic at 20 °C: Solubility Water: Partition coefficient n-octanol/water (log value) Steam pressure at 20 °C: Density and/or relative density	asses. operties mical properties Yellowish Mild >200 °C Not determined. 113 °C Product is not selfigniting. Not determined. 12 500-1,000 mPas Not miscible or difficult to mix Not determined. 0 hPa			
has to be observed. Eye/face protection Tightly sealed safety gla Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chemical General Information Colour: Smell: Boiling point or initial boiling point and boiling range Lower and upper explosion limit Lower: Upper: Flash point: Self-inflammability: Decomposition temperature: pH at 20 °C Viscosity: dynamic at 20 °C: Solubility Water: Partition coefficient n-octanol/water (log	asses. operties mical properties Yellowish Mild >200 °C Not determined. 113 °C Product is not selfigniting. Not determined. 12 500-1,000 mPas Not miscible or difficult to mix Not determined.			

Printing date 15.09.2021

Version number 24 (replaces version 23)

Revision: 15.09.2021

Trade name EPOXY-BASISHARZ EP 70 BM KOMP A

	(Contd. of	page
Vapour density	Not determined.	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of hea	alth	
and environment, and on safety.	436 °C	
Ignition temperature:		
Explosive properties:	Product is not explosive.	
Solvent content:	50.0.0/	
Solids content:	50.0 %	
Change in condition	Net determe in ed	
Evaporation rate	Not determined.	
Information with regard to physical haz classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions Reacts with alkali, amines and strong acids

• 10.4 Conditions to avoid No further relevant information available.

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Poisonous gases/vapours

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

Oral LD50 >2,000 mg/kg (rat)

Dermal LD50 >2,000 mg/kg (rat)

Skin corrosion/irritation

Causes skin irritation.

(Contd. on page 6)

GB

Printing date 15.09.2021

Version number 24 (replaces version 23)

Revision: 15.09.2021

Trade name EPOXY-BASISHARZ EP 70 BM KOMP A

(Contd. of page 5)

Serious eye damage/irritation

Causes serious eye irritation.

Germ cell mutagenicity

Suspected of causing genetic defects.

· Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

• Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class (Germany) 2 (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Can be deposited with household garbage after solidification following consultation with the operator of the waste disposal facility and the pertinent authorities and under adherence to the necessary technical regulations.

Must be specially treated under adherence to official regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.1 UN number or ID number
 ADR, IMDG, IATA

UN3082

(Contd. on page 7)

GB

Printing date 15.09.2021

Version number 24 (replaces version 23)

Revision: 15.09.2021

Trade name EPOXY-BASISHARZ EP 70 BM KOMP A

	(Contd. of page
14.2 UN proper shipping name	
ADR	3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (2,3-epoxypropyl o tolyl ether, bis[4-(2,3-epoxypropoxy)pheny
	propane)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (2,3-epoxypropyl o-tolyl ethe bis[4-(2,3-epoxypropoxy)phenyl]propane), MARIN
ΙΑΤΑ	POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (2,3-epoxypropyl o-tolyl ethe bis[4-(2,3-epoxypropoxy)phenyl]propane)
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
Class	9 Miscellaneous dangerous substances an articles.
Label	9
14.4 Packing group	
ADR, IMDG, IĂTA	III
14.5 Environmental hazards:	Product contains environmentally hazardou substances: 2,3-epoxypropyl o-tolyl ether
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATÁ):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
Kemler Number:	90
EMS Number:	F-A,S-F
Stowage Category	A
14.7 Maritime transport in bulk accordin IMO instruments	ng to Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	(-)
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (2,3 EPOXYPROPYL O-TOLYL ETHER, BIS[4-(2,3 EPOXYPROPOXY)PHENYL]PROPANE), 9, III

(Contd. on page 8)

Printing date 15.09.2021

Version number 24 (replaces version 23)

Revision: 15.09.2021

Trade name EPOXY-BASISHARZ EP 70 BM KOMP A

(Contd. of page 7)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H341 Suspected of causing genetic defects.
- H411 Toxic to aquatic life with long lasting effects.
- EUH205 Contains epoxy constituents. May produce an allergic reaction.
- **Contact:** chemikalieninfo@murexin.com (+43 02622/27401)

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2
- Skin Sens. 1: Skin sensitisation Category 1
- Muta. 2: Germ cell mutagenicity Category 2
- Aquatic Chronic 2: Hazardous to the aquatic environment long-term aquatic hazard Category 2

** Data compared to the previous version altered.

GB