Printing date 21.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- Trade name FLEX KLEBEMÖRTEL WEISS KWF 61 STAUBREDUZIERT
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Tile adhesive
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

- Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)
- · Hazard statements
- H315 Causes skin irritation.

H318 Causes serious eye damage.

- H335 May cause respiratory irritation.
- · Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- Read carefully and follow all instructions. P103
- Avoid breathing dust. P261
- P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P310

(Contd. on page 2)

GB

Printing date 21.11.2024

Revision: 21.11.2024

Trade name FLEX KLEBEMÖRTEL WEISS KWF 61 STAUBREDUZIERT

(Contd. of page 1) P332+P313 If skin irritation occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. 2.3 Other hazards Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. SECTION 3: Composition/information on ingredients · 3.2 Mixtures · Description: Mixture consisting of the following components with harmless additives. · Dangerous components: CAS: 65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 25-50% EINECS: 266-043-4 (REACH) 🔶 Eye Dam. 1, H318 🚯 Skin Irrit. 2, H315; STOT SE 3, H335 CAS: 1317-65-3 5-10% Calciumcarbonat EINECS: 215-279-6 substance with a Community workplace exposure limit

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation

In case of unconsciousness bring patient into stable side position for transport. Supply fresh air; consult doctor in case of symptoms.

After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

• After swallowing

Rinse out mouth and then drink plenty of water.

- In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents

Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

• For safety reasons unsuitable extinguishing agents Water with a full water jet.

[•] 5.2 Special hazards arising from the substance or mixture

- No further relevant information available.
- [.] 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 21.11.2024

Version number 10 (replaces version 9)

Revision: 21.11.2024

Trade name FLEX KLEBEMÖRTEL WEISS KWF 61 STAUBREDUZIERT

(Contd. of page 2)

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid causing dust.
- Wear protective clothing.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:
- Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for information on disposal.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Thorough dedusting. Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust.

· Information about protection against explosions and fires: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Protect from humidity and keep away from water.

Keep container tightly sealed.

Store under dry conditions.

• Storage class 13

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

WEL Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

1317-65-3 Calciumcarbonat

WEL Long-term value: 10* 4** mg/m³

*inhalable dust; **respirable

Additional information: The lists that were valid during the compilation were used as basis.

[•] 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- [.] General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

(Contd. on page 4)

GB

Printing date 21.11.2024

Trade name FLEX KLEBEMÖRTEL WEISS KWF 61 STAUBREDUZIERT

(Contd. of page 3)

Avoid contact with the eyes and skin.

• **Breathing equipment:** Breathing protection recommended.

Filter P2. • Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

• Material of gloves

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Tightly sealed safety glasses.
- Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chemical properties 				
· General Information				
· Physical state	Solid.			
Colour:	White			
· Smell:	Odourless			
· Odour threshold:	Not determined.			
 Melting point/freezing point: 	Not determined			
· Boiling point or initial boiling point and				
boiling range	2,230 °C (14808-60-7 Quartz (SiO2))			
· Flammability	Not determined.			
· Flash point:	Not applicable			
· Decomposition temperature:	Not determined.			
рН	Alkaline			
· Viscosity:				
Kinematic viscosity	Not applicable.			
· dynamic:	Not applicable.			
Solubility				
· Water:	Partly miscible			
· Partition coefficient n-octanol/water (log				
value)	Not determined.			
· Steam pressure at 1732 °C:	13.5 hPa (14808-60-7 Quartz (SiO2))			
· Density and/or relative density				
· Density	Not determined			
· Relative density	Not determined.			
· Settled apparent density	1,050-1,150 kg/m ³			
· Vapour density	Not applicable.			
9.2 Other information				
· Appearance:				
· Form:	Powder			
Important information on protection of heal	th			
and environment, and on safety.				
· Self-inflammability:	Product is not selfigniting.			
Explosive properties:	Product is not explosive.			
· Solvent content:				
· Solids content:	99.2 %			
	(Contd. on page 5)			
	(conta: on page of			

Printing date 21.11.2024

Revision: 21.11.2024

Trade name FLEX KLEBEMÖRTEL WEISS KWF 61 STAUBREDUZIERT

	(Contd	l. of page 4
Change in condition		
· Evaporation rate	Not applicable.	
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

1317-65-3 Calciumcarbonat

Oral LD50 >5,000 mg/kg (rat)

· Skin corrosion/irritation Causes skin irritation.

- · Serious eye damage/irritation Causes serious eye damage.
- STOT-single exposure May cause respiratory irritation.
- 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

GB (Contd. on page 6)

Printing date 21.11.2024

Trade name FLEX KLEBEMÖRTEL WEISS KWF 61 STAUBREDUZIERT

(Contd. of page 5)

SECTION			
	12: Ecological information		
· 12.1 Toxic	•		
· Aquatic to	-		
	Calciumcarbonat		
	>1,000 mg/l (G)		
EC 50	289 mg/l (Desmodesmus subspicatus)		
LC50	>10,000 mg/l (Oncorhynchus mykiss (Regenbogenforelle))		
12.2 Persistence and degradability No further relevant information available. 12.3 Bioaccumulative potential No further relevant information available. 12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. 12.7 Other adverse effects Additional ecological information: General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised. Water hazard class (Germany) 2 (Self-assessment): hazardous for water. Do not allow product to reach ground water, water bodies or sewage system. Danger to drinking water if even small quantities leak into soil. SECTION 13: Disposal considerations Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations			
• Uncleaned • Recomme Disposal m Empty con cleaning.			
Uncleaned Recomme Disposal m Empty con cleaning. Recomme	ndation: ust be made according to official regulations. taminated packagings thoroughly. They can be recycled after thorough and proper		
• Uncleaned Recomme Disposal m Empty con cleaning. • Recomme SECTION • 14.1 UN nu	ndation: ust be made according to official regulations. taminated packagings thoroughly. They can be recycled after thorough and proper nded cleaning agent: Water, if necessary with cleaning agent.		
 Uncleaned Recomme Disposal m Empty con cleaning. Recomme SECTION 14.1 UN nu ADR, ADN 14.2 UN pr 	Indation: ust be made according to official regulations. taminated packagings thoroughly. They can be recycled after thorough and proper inded cleaning agent: Water, if necessary with cleaning agent. 14: Transport information imber or ID number		
 Uncleaned Recomme Disposal m Empty concleaning. Recomme SECTION 14.1 UN nu ADR, ADN 14.2 UN pr ADR, ADN 	indation: ust be made according to official regulations. taminated packagings thoroughly. They can be recycled after thorough and proper inded cleaning agent: Water, if necessary with cleaning agent. 14: Transport information imber or ID number , IMDG, IATA Void oper shipping name		
 Uncleaned Recommendation Disposal metaing Recommendation Recommendation 14.1 UN number of the second secon	indation: Image: State of the state o		
Uncleaned Recommend Disposal m Empty con- cleaning. Recommend SECTION 14.1 UN nu ADR, ADN 14.2 UN pri ADR, ADN 14.3 Trans ADR, ADN	ndation:		

(Contd. on page 7)

GB

Printing date 21.11.2024

Revision: 21.11.2024

Trade name FLEX KLEBEMÖRTEL WEISS KWF 61 STAUBREDUZIERT

		(Contd. of page 6)		
· 14.6 Special precautions for user	Not applicable.			
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.				
· UN "Model Regulation":	Void			

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

[·] Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- · Contact: chemikalieninfo@murexin.com (+43 02622/27401)

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

** Data compared to the previous version altered.