Printing date 14.09.2021

| SECTION 1: Identification of the substance/mixture and | d of the company/undertaking |
|--|------------------------------|
|--|------------------------------|

- 1.1 Product identifier
- · Trade name FLÜSSIGFOLIE 2 KS KOMP.B
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Sealing
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number .: +44 (0) 870 600 6266

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation. Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling:
- Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)
- · Hazard statements
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H317 May cause an allergic skin reaction.
- H335 May cause respiratory irritation.
- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- Read carefully and follow all instructions. P103 P261
 - Avoid breathing dust/fume/gas/mist/vapours/spray.
- P280 Wear protective gloves / eye protection / face protection.

(Contd. on page 2)

GB

Printing date 14.09.2021

Version number 9 (replaces version 8)

Revision: 14.09.2021

Trade name FLÜSSIGFOLIE 2 KS KOMP.B

| P305+P351+P3 | (Contd. of page 1) 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact |
|-------------------|--|
| 1 000 11 001 11 0 | lenses, if present and easy to do. Continue rinsing. |
| | |
| P310 | Immediately call a POISON CENTER/doctor. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P501 | Dispose of contents/container in accordance with local/regional/national/ |
| | international regulations. |
| | U U U U U U U U U U U U U U U U U U U |
| · 2.3 Other haza | rds |

2.3 Other nazaros

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

· Dangerous components:

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• After inhalation Supply fresh air; consult doctor in case of symptoms.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

- Rinse out mouth and then drink plenty of water.
- In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Put on breathing apparatus.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:
- Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

(Contd. on page 3)

GB ·

Printing date 14.09.2021

Version number 9 (replaces version 8)

Revision: 14.09.2021

Trade name FLÜSSIGFOLIE 2 KS KOMP.B

(Contd. of page 2)

Ensure adequate ventilation. 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Keep containers tightly sealed. Prevent formation of dust.

· Information about protection against explosions and fires: Keep breathing equipment ready.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

• Requirements to be met by storerooms and containers: Store only in the original container.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from humidity and keep away from water. Keep container tightly sealed. Store under dry conditions.

• Storage class 13

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace:

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

WEL Long-term value: 10* 4** mg/m³

*inhalable dust **respirable dust

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Breathing equipment:

Breathing protection recommended. Filter P2.

· Hand protection Protective gloves.

· Material of gloves

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

· Body protection: Protective work clothing.

(Contd. on page 4)

Printing date 14.09.2021

Version number 9 (replaces version 8)

Revision: 14.09.2021

Trade name FLÜSSIGFOLIE 2 KS KOMP.B

(Contd. of page 3)

| 9.1 Information on basic physical and chem | nical properties | |
|--|------------------------------|--|
| General Information Colour: | Grey | |
| Smell: | Odourless | |
| Boiling point or initial boiling point and | | |
| boiling range | Not determined | |
| Flash point: | Not applicable | |
| Self-inflammability: | Product is not selfigniting. | |
| pH at 20 °C | ca. 11 | |
| Solubility | | |
| Water: | Partly miscible | |
| Density and/or relative density | - | |
| Density | Not determined | |
| 9.2 Other information | | |
| Appearance: | | |
| Form: | Powder | |
| Important information on protection of hea | ilth | |
| and environment, and on safety. | | |
| Explosive properties: | Product is not explosive. | |
| Information with regard to physical haza | ard | |
| classes | 210 | |
| Explosives | Void | |
| Flammable gases | Void | |
| Aerosols | Void | |
| Oxidising gases | Void | |
| Gases under pressure | Void | |
| Flammable liquids | Void | |
| Flammable solids | Void | |
| Self-reactive substances and mixtures | Void | |
| Pyrophoric liquids | Void | |
| Pyrophoric solids | Void | |
| Self-heating substances and mixtures | Void | |
| Substances and mixtures, which emit | | |
| flammable gases in contact with water | Void | |
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | Void | |

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None

(Contd. on page 5)

GB

Version number 9 (replaces version 8)

Revision: 14.09.2021

Trade name FLÜSSIGFOLIE 2 KS KOMP.B

Printing date 14.09.2021

(Contd. of page 4)

| | on on hazard classes as defined in Regulation (EC) No 1272/2008 Based on available data, the classification criteria are not met. |
|-----------------|--|
| D/LC50 value | es that are relevant for classification: |
| 65997-15-1 Ce | ment portland, Low-chromate according to EU-VO 1907/2006 (REACH) |
| Dermal LD50 | mg/kg (rat) |
| Skin corrosio | ŋ/irritation |
| Causes skin irr | itation. |
| Serious eye d | amage/irritation |
| Causes serious | s eye damage. |
| Germ cell mut | agenicity Based on available data, the classification criteria are not met. |
| Carcinogenici | ty Based on available data, the classification criteria are not met. |
| Reproductive | toxicity Based on available data, the classification criteria are not met. |
| STOT-single e | xposure |
| May cause res | piratory irritation. |
| STOT-repeate | d exposure Based on available data, the classification criteria are not met. |
| Aspiration haz | zard Based on available data, the classification criteria are not met. |
| 11.2 Informati | on on other hazards |
| Endocrine dis | rupting properties |
| None of the ing | redients is listed. |

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

- · 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Water hazard class (Germany) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

[•] 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 6)

Printing date 14.09.2021

Version number 9 (replaces version 8)

Revision: 14.09.2021

Trade name FLÜSSIGFOLIE 2 KS KOMP.B

(Contd. of page 5)

| SECTION 14: Transport information | | |
|--|--------------------------|--|
| · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA | Void | |
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | Void | |
| 14.3 Transport hazard class(es) | | |
| · ADR, ADN, IMDG, IATA · Class | Void | |
| · 14.4 Packing group · ADR, IMDG, IATA | Void | |
| · 14.5 Environmental hazards: · Marine pollutant: | No | |
| · 14.6 Special precautions for user | Not applicable. | |
| 14.7 Maritime transport in bulk accordin IMO instruments | ng to Not applicable. | |
| · UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation.

- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.

· Contact: chemikalieninfo@murexin.com (+43 02622/27401)

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1

(Contd. on page 7)

 Printing date 14.09.2021
 Version number 9 (replaces version 8)
 Revision

Trade name FLÜSSIGFOLIE 2 KS KOMP.B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* * Data compared to the previous version altered.

Revision: 14.09.2021

(Contd. of page 6)

GB