Printing date 16.09.2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

- Trade name HAFTSCHLÄMME HS 1
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Layer to promote adhesion
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

#### SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H335 May cause respiratory irritation.

#### · 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling:
- Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)
- · Hazard statements
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- · Precautionary statements
- If medical advice is needed, have product container or label at hand. P101
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- Avoid breathing dust. P261
- P280 Wear protective gloves / eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P310

(Contd. on page 2)

Printing date 16.09.2024

Revision: 16.09.2024

## Trade name HAFTSCHLÄMME HS 1

	(Contd. of page 1)
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.

· 2.3 Other hazards

#### Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Not applicable.

# SECTION 3: Composition/information on ingredients

#### · 3.2 Mixtures

• **Description:** Mixture consisting of the following components with harmless additives.

· Dangerous components:				
EINECS: 266-043-4		25-50%		
	<ul> <li>Eye Dam. 1, H318</li> <li>Skin Irrit. 2, H315; STOT SE 3, H335</li> </ul>			
CAS: 1317-65-3 EINECS: 215-279-6	Calciumcarbonat	5-10%		
	substance with a Community workplace exposure limit			

# SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information Instantly remove any clothing soiled by the product.

· After inhalation

In case of unconsciousness bring patient into stable side position for transport.

Supply fresh air; consult doctor in case of symptoms.

After skin contact

If skin irritation continues, consult a doctor.

Instantly wash with water and soap and rinse thoroughly.

After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

· After swallowing

In case of persistent symptoms consult doctor.

Rinse out mouth and then drink plenty of water.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- <sup>•</sup> Suitable extinguishing agents
- Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters

· Protective equipment: No special measures required.

(Contd. on page 3)

Printing date 16.09.2024

#### Version number 12 (replaces version 11)

Revision: 16.09.2024

#### Trade name HAFTSCHLÄMME HS 1

(Contd. of page 2)

## SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- 6.3 Methods and material for containment and cleaning up:
- Use neutralising agent.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Collect mechanically.

Dispose of contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

# SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Thorough dedusting. Keep containers tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of dust.

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- · Requirements to be met by storerooms and containers: Store only in the original container.
- · Information about storage in one common storage facility: Store away from foodstuffs.

· Further information about storage conditions:

Keep container tightly sealed.

Store under dry conditions.

· Storage class 13

• 7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

65997-15-1 Cement portland, Low-chromate according to EU-VO 1907/2006 (REACH)

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>

\*inhalable dust \*\*respirable dust

1317-65-3 Calciumcarbonat

WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>

\*inhalable dust; \*\*respirable

• Additional information: The lists that were valid during the compilation were used as basis.

<sup>•</sup> 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- <sup>.</sup> General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

(Contd. on page 4)

GB

Printing date 16.09.2024

Revision: 16.09.2024

## Trade name HAFTSCHLÄMME HS 1

#### (Contd. of page 3)

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air. *Filter P2.* 

#### · Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

#### Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Tightly sealed safety glasses.
- Body protection: Protective work clothing.

# SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chen	nical properties				
· General Information					
· Physical state	Solid.				
· Colour:	Grey				
· Smell:	Odourless				
· Odour threshold:	Not determined.				
· Melting point/freezing point:	Not determined				
Boiling point or initial boiling point and					
boiling range	2,230 °C (14808-60-7 Quartz (SiO2))				
Flammability	Not determined.				
· Flash point:	Not applicable				
· Decomposition temperature:	Not determined.				
· pH	Alkaline				
· Viscosity:	Aikaiine				
· Kinematic viscosity	Not applicable.				
· dynamic:	Not applicable.				
· Solubility					
· Water:	Portly missible				
	Partly miscible				
· Partition coefficient n-octanol/water (log	Not data waina d				
value)	Not determined.				
team pressure at 1732 °C: 13.5 hPa (14808-60-7 Quartz (SiO2))					
Density and/or relative density					
Density	Not determined				
Relative density	Not determined.				
Settled apparent density	1,200-1,300 kg/m <sup>3</sup>				
· Vapour density	Not applicable.				
• 9.2 Other information					
· Appearance:					
· Form:	Powder				
· Important information on protection of hea					
and environment, and on safety.					
· Self-inflammability:	Product is not selfigniting.				
• Explosive properties:	Product is not explosive.				
	-				
	(Contd. on page 5				

Printing date 16.09.2024

Version number 12 (replaces version 11)

Revision: 16.09.2024

Trade name HAFTSCHLÄMME HS 1

	(Contd. of pa	age
Solvent content:		
Solids content:	>100.0 %	
Change in condition		
Evaporation rate	Not applicable.	
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

# SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None

# SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

1317-65-3 Calciumcarbonat

Oral LD50 >5,000 mg/kg (rat)

- · Skin corrosion/irritation Causes skin irritation.
- Serious eye damage/irritation Causes serious eye damage.
- STOT-single exposure May cause respiratory irritation.
- 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 6)

GB

Printing date 16.09.2024

Revision: 16.09.2024

# Trade name HAFTSCHLÄMME HS 1

(Contd. of page 5)

	(Contd. of page 5
SECTION	12: Ecological information
· 12.1 Toxic	
· Aquatic to	-
-	Calciumcarbonat
	>1,000 mg/l (G)
EC 50	289 mg/l (Desmodesmus subspicatus)
LC 50 LC50	>10,000 mg/l (Oncorhynchus mykiss (Regenbogenforelle))
<ul> <li>12.3 Bioact</li> <li>12.4 Mobil</li> <li>12.5 Result</li> <li>PBT: Not at</li> <li>vPvB: Not</li> <li>12.6 Endoor</li> <li>12.6 Endoor</li> <li>12.7 Other</li> <li>Additional</li> <li>General not result of the transformed to the tra</li></ul>	applicable. <b>rine disrupting properties</b> t does not contain substances with endocrine disrupting properties. <b>adverse effects</b> <b>ecological information:</b> <b>tes:</b> ach sewage water or drainage ditch undiluted or unneutralised. rd class (Germany) 1 (Self-assessment): slightly hazardous for water. w undiluted product or large quantities of it to reach ground water, water bodies o
<b>Recomme</b> Must not b	<b>treatment methods</b> Idation Idatos disposed of together with household garbage. Do not allow product to reach sewage
system.	
	packagings: adation:
• <b>Recomme</b> Disposal m Empty cor	
• <b>Recomme</b> Disposal m Empty con cleaning.	idation: Ist be made according to official regulations.
• <b>Recomme</b> Disposal m Empty con cleaning. • <b>Recomme</b>	<b>idation:</b> Ist be made according to official regulations. taminated packagings thoroughly. They can be recycled after thorough and prope
<ul> <li>Recomme Disposal m Empty con cleaning.</li> <li>Recomme</li> <li>SECTION</li> <li>14.1 UN nu</li> </ul>	<b>idation:</b> Ust be made according to official regulations. Itaminated packagings thoroughly. They can be recycled after thorough and prope Inded cleaning agent: Water, if necessary with cleaning agent.
<ul> <li>Recomme Disposal m Empty concleaning.</li> <li>Recomme</li> <li>SECTION</li> <li>14.1 UN nu</li> <li>ADR, ADN</li> <li>14.2 UN pr</li> </ul>	<i>idation:</i> <i>Ist be made according to official regulations.</i> <i>Ist be made according to official regulations.</i> <i>Itaminated packagings thoroughly. They can be recycled after thorough and prope</i> <i>Ided cleaning agent:</i> Water, if necessary with cleaning agent. <i>Ided cleaning agent: Transport information</i> <i>The packaging agent and prope</i> <i>The packaging agent and prope</i> <i>Ided cleaning agent: The packaging agent </i>
<ul> <li>Recomme Disposal m Empty con cleaning.</li> <li>Recomme</li> <li>SECTION</li> <li>14.1 UN nu</li> <li>ADR, ADN</li> <li>14.2 UN pr</li> <li>ADR, ADN</li> </ul>	Indation:       Instant of the second of the s
<ul> <li>Recomme Disposal m Empty concleaning.</li> <li>Recomme</li> <li>SECTION</li> <li>14.1 UN nu</li> <li>ADR, ADN</li> <li>14.2 UN pri</li> <li>ADR, ADN</li> <li>14.3 Trans</li> </ul>	Indation:       Ist be made according to official regulations.         Ist be made according to official regulations.       Ist be made according to official regulations.         Inded cleaning agent:       Water, if necessary with cleaning agent.         Inded cleaning agent:       Water, if necessary with cleaning agent.         Inded cleaning agent:       Water, if necessary with cleaning agent.         Inded cleaning agent:       Water, if necessary with cleaning agent.         Indef cleaning agent:       Water, if necessary with cleaning agent.         Indef cleaning agent:       Water, if necessary with cleaning agent.         Indef cleaning agent:       Water, if necessary with cleaning agent.         Indef cleaning agent:       Water, if necessary with cleaning agent.         Indef cleaning agent:       Water, if necessary with cleaning agent.         Indef cleaning agent:       Void         Image: Indef cleaning agent:       Void         Image: Indef cleaning agent:       Void         Image: Indef cleaning agent:       Void

No

• 14.5 Environmental hazards:
 • Marine pollutant:

(Contd. on page 7)

GB

Printing date 16.09.2024

Version number 12 (replaces version 11)

Revision: 16.09.2024

Trade name HAFTSCHLÄMME HS 1

		(Contd. of page 6)		
<sup>.</sup> 14.6 Special precautions for user	Not applicable.			
• 14.7 Maritime transport in bulk according to IMO instruments Not applicable.				
· UN "Model Regulation":	Void			

# SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<sup>.</sup> Poisons Act

#### Regulated explosives precursors

None of the ingredients is listed.

#### · Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

#### Reportable poisons

None of the ingredients is listed.

#### · Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation.

- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- Contact: chemikalieninfo@murexin.com (+43 02622/27401)

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\*\* Data compared to the previous version altered.