```
Printing date 05.05.2023
                               Version number 4 (replaces version 3)
                                                                               Revision: 05.05.2023
   SECTION 1: Identification of the substance/mixture and of the company/undertaking
   · 1.1 Product identifier
  · Trade name NATURSTEINTEPPICHHARZ PU 1K
  · 1.2 Relevant identified uses of the substance or mixture and uses advised against
   No further relevant information available.
   · Application of the substance / the mixture
   Binder
   Installation material

    1.3 Details of the supplier of the safety data sheet

   · Manufacturer/Supplier:
   MUREXIN GmbH
   Franz v. Furtenbachstr. 1
   A-2700 Wiener Neustadt
   Tel.: +43 (0)2622/27401
  · Informing department: chemikalieninfo@murexin.com
   1.4 Emergency telephone number:
   UK National poisons Emergency number .: +44 (0) 870 600 6266
   SECTION 2: Hazards identification
  · 2.1 Classification of the substance or mixture
   Classification according to Regulation (EC) No 1272/2008
   Acute Tox. 4
                     H332 Harmful if inhaled.
   Skin Sens. 1
                     H317 May cause an allergic skin reaction.
   STOT SE 3
                     H335 May cause respiratory irritation.
   Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
  · 2.2 Label elements
   Labelling according to Regulation (EC) No 1272/2008
   The product is classified and labelled according to the GB CLP regulation.
   · Hazard pictograms
    GHS07
  · Signal word Warning
   · Hazard-determining components of labelling:
   Hexamethylen-1,6-diisocyanat homopolymer
   Reaktionsmasse von bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate und methyl 1,2,2,6,6-
   pentamethyl-4-piperidyl sebacate
   Hazard statements
   H332 Harmful if inhaled.
   H317 May cause an allergic skin reaction.
   H335 May cause respiratory irritation.
   H412 Harmful to aquatic life with long lasting effects.
   Precautionary statements
   P101
               If medical advice is needed, have product container or label at hand.
   P102
               Keep out of reach of children.
   P103
               Read carefully and follow all instructions.
   P261
               Avoid breathing mist/vapours/spray.
   P273
               Avoid release to the environment.
                                                                                     (Contd. on page 2)
                                                                                                  GB
```

Printing date 05.05.2023

Version number 4 (replaces version 3)

Revision: 05.05.2023

Trade name NATURSTEINTEPPICHHARZ PU 1K

(Contd. of page 1) P280 Wear protective gloves / face protection. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. · Additional information: As from 24 August 2023 adequate training is required before industrial or professional use. · 2.3 Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. SECTION 3: Composition/information on ingredients · 3.2 Mixtures · Description: Mixture consisting of the following components with harmless additives. · Dangerous components: CAS: 28182-81-2 50-100% Hexamethylen-1,6-diisocyanat homopolymer NLP: 500-060-2 Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE Reg.nr.: 01-2119488934-20-3. H335 0000

SECTION 4: First aid measures

01-2119485796-17-

000X

· 4.1 Description of first aid measures

General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

pentamethyl-4-piperidylsebacate (50%)

Reaktionsmasse von bis(1,2,2,6,6-pentamethyl-4- ≥1-<2.5%

piperidyl) sebacate und methyl 1,2,2,6,6-pentamethyl-

Consisting of: 41556-26-7 Bis(1,2,2,6,6-pentamethyl-4piperidyl)sebacat (50%); 82919-37-7 methyl 1,2.2.6.6-

💫 Aguatic Acute 1, H400; Aguatic Chronic 1, H410

• After inhalation

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

4-piperidyl sebacate

🕹 Repr. 2, H361f

🚯 Skin Sens. 1A, H317

· After skin contact

If skin irritation continues, consult a doctor.

Instantly wash with water and soap and rinse thoroughly.

- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)

GB

Printing date 05.05.2023

Version number 4 (replaces version 3)

Revision: 05.05.2023

Trade name NATURSTEINTEPPICHHARZ PU 1K

(Contd. of page 2)

SECTION 5: Firefighting measures 5.1 Extinguishing media Suitable extinguishing agents Use fire fighting measures that suit the environment. 5.2 Special hazards arising from the substance or mixture Carbon monoxide (CO) Nitrogen oxides (NOx) Can be released in case of fire (Traces) Hydrogen cyanide (HCN) 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. Wear self-contained breathing apparatus. Put on breathing apparatus. Additional information Collect contaminated fire fighting water separately. It must not enter drains.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Keep away from ignition sources Ensure adequate ventilation Wear protective clothing.
6.2 Environmental precautions: Do not allow to enter the ground/soil. Do not allow product to reach sewage system or water bodies. Inform respective authorities in case product reaches water or sewage system.
6.3 Methods and material for containment and cleaning up: Allow to solidify. Collect mechanically. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

• Requirements to be met by storerooms and containers: Store only in the original container.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Keep container tightly sealed.

· Storage class 10

· 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GB

Printing date 05.05.2023

Version number 4 (replaces version 3)

Revision: 05.05.2023

Trade name NATURSTEINTEPPICHHARZ PU 1K

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection				
8.1 Control parameters Components with critical values that requi				
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. Additional information: The lists that were valid during the compilation were used as basis.				
· 8.2 Exposure controls				
Appropriate engineering controls No furthe Individual protection measures, such as po	ersonal protective equipment			
 General protective and hygienic measures The usual precautionary measures should be Keep away from foodstuffs, beverages and fo 	adhered to in handling the chemicals.			
Instantly remove any soiled and impregnated Wash hands during breaks and at the end of t	garments.			
• Breathing equipment: Filter P3.				
	se breathing filter apparatus. In case of intensive or is independent of circulating air.			
Protective gloves.	e and resistant to the product/ the substance/ the			
preparation. • Material of gloves	,			
The selection of the suitable gloves does not	only depend on the material, but also on further marks			
of quality and varies from manufacturer to ma	nufacturer			
of quality and varies from manufacturer to ma. Use gloves of stable material (e.g. Nitrile) - if r				
Use gloves of stable material (e.g. Nitrile) - if r Penetration time of glove material The exact break trough time has to be found				
Use gloves of stable material (e.g. Nitrile) - if r Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Safety glasses recommended	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and			
Use gloves of stable material (e.g. Nitrile) - if r Penetration time of glove material The exact break trough time has to be found has to be observed.	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and			
Use gloves of stable material (e.g. Nitrile) - if r Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Safety glasses recommended	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling.			
Use gloves of stable material (e.g. Nitrile) - if r Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Safety glasses recomme Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and chem	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling.			
Use gloves of stable material (e.g. Nitrile) - if r • Penetration time of glove material The exact break trough time has to be found has to be observed. • Eye/face protection Safety glasses recomme • Body protection: Protective work clothing. SECTION 9: Physical and chemical pro	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling.			
Use gloves of stable material (e.g. Nitrile) - if r • Penetration time of glove material The exact break trough time has to be found has to be observed. • Eye/face protection Safety glasses recomme • Body protection: Protective work clothing. • SECTION 9: Physical and chemical protection • 9.1 Information on basic physical and chemical • General Information	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling. Operties mical properties			
Use gloves of stable material (e.g. Nitrile) - if r • Penetration time of glove material The exact break trough time has to be found has to be observed. • Eye/face protection Safety glasses recomme • Body protection: Protective work clothing. SECTION 9: Physical and chemical protection • 9.1 Information on basic physical and cher • General Information • Physical state	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling. pperties mical properties Fluid			
Use gloves of stable material (e.g. Nitrile) - if r • Penetration time of glove material The exact break trough time has to be found has to be observed. • Eye/face protection Safety glasses recomme • Body protection: Protective work clothing. SECTION 9: Physical and chemical protection • 9.1 Information on basic physical and chem • General Information • Physical state • Colour: • Smell: • Odour threshold:	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling. Deperties mical properties Fluid Colourless			
Use gloves of stable material (e.g. Nitrile) - if r • Penetration time of glove material The exact break trough time has to be found has to be observed. • Eye/face protection Safety glasses recomme • Body protection: Protective work clothing. SECTION 9: Physical and chemical protection • 9.1 Information on basic physical and chem • General Information • Physical state • Colour: • Smell: • Odour threshold:	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling. Operties mical properties Fluid Colourless Characteristic			
Use gloves of stable material (e.g. Nitrile) - if r • Penetration time of glove material The exact break trough time has to be found has to be observed. • Eye/face protection Safety glasses recomme • Body protection: Protective work clothing. • SECTION 9: Physical and chemical protection • 9.1 Information on basic physical and chem • General Information • Physical state • Colour: • Smell:	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling. Deperties mical properties Fluid Colourless Characteristic Not determined.			
Use gloves of stable material (e.g. Nitrile) - if r • Penetration time of glove material The exact break trough time has to be found has to be observed. • Eye/face protection Safety glasses recomme • Body protection: Protective work clothing. SECTION 9: Physical and chemical protection • 9.1 Information on basic physical and cher • General Information • Physical state • Colour: • Smell: • Odour threshold: • Melting point/freezing point:	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling. Deperties mical properties Fluid Colourless Characteristic Not determined.			
Use gloves of stable material (e.g. Nitrile) - if r • Penetration time of glove material The exact break trough time has to be found has to be observed. • Eye/face protection Safety glasses recomme • Body protection: Protective work clothing. SECTION 9: Physical and chemical pro • 9.1 Information on basic physical and cher • General Information • Physical state • Colour: • Smell: • Odour threshold: • Melting point/freezing point: • Boiling point or initial boiling point and	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling. Deperties mical properties Fluid Colourless Characteristic Not determined. Not determined			
Use gloves of stable material (e.g. Nitrile) - if r • Penetration time of glove material The exact break trough time has to be found has to be observed. • Eye/face protection Safety glasses recomme • Body protection: Protective work clothing. SECTION 9: Physical and chemical pro • 9.1 Information on basic physical and cher • General Information • Physical state • Colour: • Smell: • Odour threshold: • Melting point/freezing point: • Boiling point or initial boiling point and boiling range	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling. operties mical properties Fluid Colourless Characteristic Not determined. Not determined 175 °C			
Use gloves of stable material (e.g. Nitrile) - if r • Penetration time of glove material The exact break trough time has to be found has to be observed. • Eye/face protection Safety glasses recomme • Body protection: Protective work clothing. SECTION 9: Physical and chemical pro • 9.1 Information on basic physical and cher • General Information • Physical state • Colour: • Smell: • Odour threshold: • Melting point/freezing point: • Boiling point or initial boiling point and boiling range • Flammability	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling. operties mical properties Fluid Colourless Characteristic Not determined. Not determined 175 °C			
Use gloves of stable material (e.g. Nitrile) - if r Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Safety glasses recomme Body protection: Protective work clothing. SECTION 9: Physical and chemical pro SECTION 9: Physical and chemical pro 9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower:	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling. Deperties mical properties Fluid Colourless Characteristic Not determined. Not determined 175 °C Not applicable.			
Use gloves of stable material (e.g. Nitrile) - if r Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Safety glasses recomme Body protection: Protective work clothing. SECTION 9: Physical and chemical pro- SECTION 9: Physical and chemical pro- 9.1 Information on basic physical and chem General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper:	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling. Deperties mical properties Fluid Colourless Characteristic Not determined. Not determined 175 °C Not applicable. Not determined.			
Use gloves of stable material (e.g. Nitrile) - if r Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Safety glasses recomme Body protection: Protective work clothing. SECTION 9: Physical and chemical pro- 9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point:	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling. Deperties mical properties Fluid Colourless Characteristic Not determined. Not determined 175 °C Not applicable. Not determined. Not determined.			
Use gloves of stable material (e.g. Nitrile) - if r Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Safety glasses recomme Body protection: Protective work clothing. SECTION 9: Physical and chemical pro- 9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling range Flammability Lower and upper explosion limit Lower: Upper:	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling. Deperties Deperties Mical properties Fluid Colourless Characteristic Not determined. Not determined 175 °C Not applicable. Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. >100 °C			
Use gloves of stable material (e.g. Nitrile) - if r Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Safety glasses recomme Body protection: Protective work clothing. SECTION 9: Physical and chemical pro- 9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature:	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling. Deperties mical properties Fluid Colourless Characteristic Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. >100 °C 445 °C Not determined. Mixture is non-soluble (in water).			
Use gloves of stable material (e.g. Nitrile) - if r Penetration time of glove material The exact break trough time has to be found has to be observed. Eye/face protection Safety glasses recomme Body protection: Protective work clothing. SECTION 9: Physical and chemical pro 9.1 Information on basic physical and cher General Information Physical state Colour: Smell: Odour threshold: Melting point/freezing point: Boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature: Decomposition temperature:	necessary tricoted to improve the wearability. I out by the manufacturer of the protective gloves and ended during refilling. Deperties mical properties Fluid Colourless Characteristic Not determined. Not determined 175 °C Not applicable. Not determined. Not determined. >100 °C 445 °C Not determined.			

(Contd. on page 5)

[—] GB

Printing date 05.05.2023

Version number 4 (replaces version 3)

Revision: 05.05.2023

Trade name NATURSTEINTEPPICHHARZ PU 1K

	(Contd. of	pag
dynamic at 20 °C:	1,000 mPas	
Solubility		
Water:	Not miscible or difficult to mix	
Partition coefficient n-octanol/water (log		
value)	Not determined.	
Steam pressure at 20 °C:	>0 hPa	
Density and/or relative density		
Density at 20 °C	1.2 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
• •	Not determined.	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of hea	lth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Solvent content:	·	
Solids content:	0.0 %	
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical haza	ard	
classes	10	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

- · Conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Exothermic reaction Reacts with alcohols

Reacts with amines

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

ĠВ

Printing date 05.05.2023

Version number 4 (replaces version 3)

Revision: 05.05.2023

Trade name NATURSTEINTEPPICHHARZ PU 1K

(Contd. of page 5)

10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if inhaled.

- · STOT-single exposure May cause respiratory irritation.
- 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Remark: Harmful to fish
- Additional ecological information:
- General notes:
- Harmful to aquatic organisms

Water hazard class (Germany) 2 (Self-assessment): hazardous for water.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, İMDG, İATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	

Printing date 05.05.2023

Version number 4 (replaces version 3)

Revision: 05.05.2023

Trade name NATURSTEINTEPPICHHARZ PU 1K

		(Contd. of page 6
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accord IMO instruments 	ing to Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H317 May cause an allergic skin reaction.
- H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H361f Suspected of damaging fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Contact: chemikalieninfo@murexin.com (+43 02622/27401)

 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

** Data compared to the previous version altered.