Printing date 17.11.2023

Revision: 17.11.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name POLYURETHANBESCHICHTUNG PU 600 KOMP. B
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Hardening agent/ Curing agent
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008

health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



Acute Tox. 4 H332 Harmful if inhaled.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling:
- m-tolylidene diisocyanate

p-toluenesulphonyl isocyanate

- Hazard statements
- H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P261 Avoid breathing mist/vapours/spray.
- *P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.*
- P284 [In case of inadequate ventilation] wear respiratory protection.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. on page 2)

Printing date 17.11.2023

Revision: 17.11.2023

Trade name POLYURETHANBESCHICHTUNG PU 600 KOMP. B

(Contd. of page 1)

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components with harmless additives.

 Dangerous comport 	nents:	
	cyclohexanone Flam. Liq. 3, H226 Acute Tox. 3, H311 Acute Tox. 4, H302; Acute Tox. 4, H332	1-2.5%
	p-toluenesulphonyl isocyanate Resp. Sens. 1, H334 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 EUH014, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % STOT SE 3; H335: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	≥0.1-<0.5%
EINECS: 247-722-4	 m-tolylidene diisocyanate Acute Tox. 2, H330 Resp. Sens. 1, H334; Carc. 2, H351 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 Aquatic Chronic 3, H412 EUH204 Specific concentration limit: Resp. Sens. 1; H334: C ≥ 0.1 % 	≥0.1-<0.5%

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness bring patient into stable side position for transport.
- · After skin contact

If skin irritation continues, consult a doctor.

Instantly wash with water and soap and rinse thoroughly.

- · After eye contact
- Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- After swallowing In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** Medical supervision for at least 48 hours

(Contd. on page 3)

Printing date 17.11.2023

Version number 3 (replaces version 2)

Revision: 17.11.2023

Trade name POLYURETHANBESCHICHTUNG PU 600 KOMP. B

(Contd. of page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents
- Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- · Protective equipment: Put on breathing apparatus.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

Put on breathing apparatus.

- · 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: Store only in the original container.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class 10

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

108-94-1 cyclohexanone

WEL Short-term value: 82 mg/m³, 20 ppm Long-term value: 41 mg/m³, 10 ppm Sk. BMGV

4083-64-1 p-toluenesulphonyl isocyanate

WEL Short-term value: 0.07 mg/m³ Long-term value: 0.02 mg/m³ Sen; as -NCO

(Contd. on page 4)

GB

Printing date 17.11.2023

Version number 3 (replaces version 2)

Revision: 17.11.2023

		(Contd. of page
26471	1-62-5 m-tolylidene diisocyanate	(conta. of pag
	Short-term value: 0.07 mg/m ³	
	Long-term value: 0.02 mg/m ³	
	Sen; as -NCO	
Ingre	dients with biological limit values	:
	4-1 cyclohexanone	
BMG	V 2 mmol/mol creatinine	
	Medium: urine	
	Sampling time: post shift	
A AAi+	Parameter: cyclohexanol	are valid during the compilation were used as basis
		ere valid during the compilation were used as basis.
	xposure controls	urther date: and experies 7
	opriate engineering controls No fu idual protection measures, such a	
	ral protective and hygienic measures	
		d be adhered to in handling the chemicals.
Keep	away from foodstuffs, beverages an	nd food.
	ntly remove any soiled and impregna	
	hands during breaks and at the end	d of the work.
	ot inhale gases / fumes / aerosols. I contact with the eyes and skin.	
	thing equipment:	
		on use breathing filter apparatus. In case of intensive
longei	r exposure use breathing apparatus	
Filter	P3.	that is independent of choulding an.
Hand	P3. Protection Protective gloves.	that is independent of encodating all.
Hand Mater	P3. protection Protective gloves. rial of gloves	
Hand Mater The se	P3. protection Protective gloves. rial of gloves relection of the suitable gloves does	not only depend on the material, but also on further ma
Hand Mater The so of qua	P3. protection Protective gloves. rial of gloves relection of the suitable gloves does ality and varies from manufacturer to	not only depend on the material, but also on further ma
Hand Mater The s of qua	P3. protection Protective gloves. rial of gloves relection of the suitable gloves does ality and varies from manufacturer to tration time of glove material	not only depend on the material, but also on further ma manufacturer.
Hand Mater The s of qua Penel The e has to	P3. Protection Protective gloves. relection of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for to be observed.	not only depend on the material, but also on further ma manufacturer.
Hand Mater The s of qua Penet The e has to Eye/fa	P3. Protection Protective gloves. rial of gloves election of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for b be observed. ace protection Safety glasses	not only depend on the material, but also on further ma o manufacturer. Dound out by the manufacturer of the protective gloves a
Hand Mater The s of qua Penet The e has to Eye/fa	P3. Protection Protective gloves. relection of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for to be observed.	not only depend on the material, but also on further ma o manufacturer. Dound out by the manufacturer of the protective gloves a
Hand Mater The s of qua Penet The e has to Eye/fa	P3. Protection Protective gloves. rial of gloves election of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for b be observed. ace protection Safety glasses	not only depend on the material, but also on further ma o manufacturer. Dound out by the manufacturer of the protective gloves a
Hand Mater The si of qua Penet The e has to Eye/fa Body	P3. Protection Protective gloves. relection of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for b be observed. ace protection Safety glasses	not only depend on the material, but also on further ma o manufacturer. bund out by the manufacturer of the protective gloves a
Hand Mater The s of qua Penet The e has to Eye/fa Body	P3. Protection Protective gloves. rial of gloves election of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for be observed. ace protection Safety glasses protection: Protective work clothin TION 9: Physical and chemical	not only depend on the material, but also on further ma o manufacturer. bund out by the manufacturer of the protective gloves a g.
Hand Mater The so of qua Penel The e has to Eye/fa Body SECT 9.1 In	P3. Protection Protective gloves. rial of gloves election of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for be observed. ace protection Safety glasses protection: Protective work clothin	not only depend on the material, but also on further ma o manufacturer. bund out by the manufacturer of the protective gloves a g.
Hand Mater The si of qua Penet The e has to Eye/fa Body SECT 9.1 In Genet Physi	P3. Protection Protective gloves. rial of gloves relection of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for the observed. ace protection Safety glasses protection: Protective work clothin TION 9: Physical and chemical formation on basic physical and of ral Information ical state	not only depend on the material, but also on further ma o manufacturer. bund out by the manufacturer of the protective gloves a ng. I properties chemical properties Fluid
Hand Mater The so of qua Penet The e has to Eye/fa Body SECT 9.1 In Genet Physi Colou	P3. Protection Protective gloves. rial of gloves relection of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for the observed. ace protection Safety glasses protection: Protective work clothin TION 9: Physical and chemical formation on basic physical and of tral Information ical state ur:	not only depend on the material, but also on further ma o manufacturer. bund out by the manufacturer of the protective gloves a ng. I properties chemical properties Fluid Colourless
Hand Mater The so of qua Penet The e has to Eye/fa Body 9.1 In Genet Physi Colou Smell	P3. Protection Protective gloves. rial of gloves relection of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for the observed. ace protection Safety glasses protection: Protective work clothin TION 9: Physical and chemical formation on basic physical and of real Information ical state ur: I:	not only depend on the material, but also on further ma o manufacturer. bund out by the manufacturer of the protective gloves a ng. properties chemical properties Fluid Colourless Characteristic
Hand Mater The so of qua Penet The e has to Eye/fa Body SECT 9.1 In Genea Physi Colou Smell Meltir	P3. Protection Protective gloves. relection of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for the observed. ace protection Safety glasses protection: Protective work clothin TION 9: Physical and chemical formation on basic physical and of real Information ical state ur: I: ng point/freezing point:	not only depend on the material, but also on further material o manufacturer. bund out by the manufacturer of the protective gloves a rg. properties chemical properties Fluid Colourless Characteristic Not determined
Hand Mater The so of qua Penet The e has to Eye/fa Body SECT 9.1 In Genet Physi Colou Smell Meltir Boilin	P3. Protection Protective gloves. rial of gloves election of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for the observed. ace protection Safety glasses protection: Protective work clothin TION 9: Physical and chemical formation on basic physical and of ral Information ical state ur: l: mg point/freezing point: mg point or initial boiling point and	not only depend on the material, but also on further material of manufacturer. Sound out by the manufacturer of the protective gloves a rg. In properties Chemical properties Fluid Colourless Characteristic Not determined
Hand Mater The so of qua Penet The e has to Eye/fa Body SECT 9.1 In Genet Physi Colou Smell Meltir Boilin boilin	P3. Protection Protective gloves. rial of gloves election of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for be observed. ace protection Safety glasses protection: Protective work clothin TION 9: Physical and chemical formation on basic physical and of ral Information ical state ur: l: ng point/freezing point: ng point or initial boiling point and boiling point and	not only depend on the material, but also on further material o manufacturer. bund out by the manufacturer of the protective gloves a rg. properties chemical properties Fluid Colourless Characteristic Not determined
Hand Mater The s of qua Penet The e has to Eye/fa Body SECT 9.1 In Gener Physi Colou Smell Meltir Boilin boilin	P3. Protection Protective gloves. rial of gloves relection of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for the observed. ace protection Safety glasses protection: Protective work clothin TION 9: Physical and chemical formation on basic physical and of tral Information ical state ur: I: ng point/freezing point: ng point or initial boiling point and for range er and upper explosion limit	not only depend on the material, but also on further material of manufacturer. Sound out by the manufacturer of the protective gloves a rg. In properties Chemical properties Fluid Colourless Characteristic Not determined
Hand Mater The s of qua Penet The e has to Eye/fa Body SECT 9.1 In Genee Physi Colou Smell Meltir Boilin Lowe Lowe	P3. Protection Protective gloves. rial of gloves relection of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for the observed. ace protection Safety glasses protection: Protective work clothin TION 9: Physical and chemical formation on basic physical and of ral Information ical state ur: I: ng point/freezing point: ng point or initial boiling point and for range er and upper explosion limit pr:	not only depend on the material, but also on further material of manufacturer. Sound out by the manufacturer of the protective gloves and g. In the properties of the protective gloves and the protective gloves and g. In the properties of the protective gloves and the protective gloves and g. In the properties of the protective gloves and the protective gloves and g.
Hand Mater The so of qua Penet The e has to Eye/fa Body SECT 9.1 In Genet Physi Colou Smell Meltir Boilin Lowe Upper	P3. Protection Protective gloves. rial of gloves relection of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for the observed. ace protection Safety glasses protection: Protective work clothin TION 9: Physical and chemical formation on basic physical and of ral Information ical state ur: I: ng point/freezing point: ng point or initial boiling point and for range er and upper explosion limit pr:	not only depend on the material, but also on further material of manufacturer. bound out by the manufacturer of the protective gloves a g. I properties chemical properties Fluid Colourless Characteristic Not determined d Not determined.
Hand Mater The s of qua Penel The e has to Eye/fa Body SECT 9.1 In Genel Physi Colou Smell Meltir Boilin Lowe Lowe Uppel Flash Deco	P3. Protection Protective gloves. rial of gloves election of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for the observed. ace protection Safety glasses protection: Protective work clothin formation on basic physical and of trail Information ical state ur: I: ng point/freezing point: ng point or initial boiling point and for range er and upper explosion limit er: or:	not only depend on the material, but also on further material o manufacturer. bound out by the manufacturer of the protective gloves a g. I properties Chemical properties Fluid Colourless Characteristic Not determined d Not determined. Not determined. Not determined. >100 °C Not determined.
Hand Mater The so of qua Penel The e has to Eye/fa Body SECT 9.1 In Genel Physi Colou Smell Meltir Boilin Lowe Lowe Uppel Flash Decol pH	P3. Protection Protective gloves. rial of gloves election of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for the observed. ace protection Safety glasses protection: Protective work clothin TION 9: Physical and chemical formation on basic physical and of trail Information ical state ur: I: ng point/freezing point: ng point or initial boiling point and for range r and upper explosion limit er: r: point: mposition temperature:	not only depend on the material, but also on further material o manufacturer. bund out by the manufacturer of the protective gloves a g. I properties chemical properties Fluid Colourless Characteristic Not determined d Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.
Hand Mater The so of qua Penel The e has to Eye/fa Body SECT 9.1 In Genes Colou Smell Meltir Boilin Lowe Uppel Flash Decool pH Visco	P3. Protection Protective gloves. rial of gloves selection of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for the observed. ace protection Safety glasses protection: Protective work clothin TION 9: Physical and chemical formation on basic physical and of ral Information ical state ur: I: ng point/freezing point: ng point or initial boiling point and for and upper explosion limit er: r: point: mposition temperature: psity:	not only depend on the material, but also on further material of manufacturer. pound out by the manufacturer of the protective gloves a g. properties chemical properties Fluid Colourless Characteristic Not determined d Not determined. Not determined.
Hand Mater The so of qua Penet The e has to Eye/fa Body SECT 9.1 In Genet Physi Colou Smell Meltir Boilin Lowe Lowe Flash Decon pH Visco Kinen	P3. Protection Protective gloves. rial of gloves election of the suitable gloves does ality and varies from manufacturer to tration time of glove material exact break trough time has to be for the observed. ace protection Safety glasses protection: Protective work clothin TION 9: Physical and chemical formation on basic physical and of trail Information ical state ur: I: ng point/freezing point: ng point or initial boiling point and for range r and upper explosion limit er: r: point: mposition temperature:	not only depend on the material, but also on further material o manufacturer. bound out by the manufacturer of the protective gloves a g. I properties Chemical properties Fluid Colourless Characteristic Not determined d Not determined. Not determined. Not determined. >100 °C Not determined.

Printing date 17.11.2023

Version number 3 (replaces version 2)

Revision: 17.11.2023

Trade name POLYURETHANBESCHICHTUNG PU 600 KOMP. B

	(Contd. of page 4)
· Solubility	
· Water:	Not miscible or difficult to mix
 Partition coefficient n-octanol/water (log 	
value)	Not determined.
· Steam pressure:	Not determined.
Density and/or relative density	
· Density at 20 °C	1.1 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
Form:	Fluid
· Important information on protection of healt	1
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard	1
classes	Void
· Explosives	
· Flammable gases · Aerosols	Void Void
	Void
• Oxidising gases	Vola Void
· Gases under pressure	Void
 Flammable liquids Flammable solids 	Void
· Self-reactive substances and mixtures	Void
	Void
Pyrophoric liquids Pyrophoric solids	Void
	Void
 Self-heating substances and mixtures Substances and mixtures, which emit 	VOIG
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising inquids · Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions Reacts with alcohols, amines, aqueous acids and alkalis

• 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if inhaled.

(Contd. on page 6)

GB

Printing date 17.11.2023

Version number 3 (replaces version 2)

Revision: 17.11.2023

(Contd. of page 5)

Trade name POLYURETHANBESCHICHTUNG PU 600 KOMP. B

· LD/LC50 values	that are relevant	for classification:

108-94-1 cyclohexanone		
Oral	LD50	1,900 mg/kg (rat)
Dermal	LD50	1,900 mg/kg (rat) 948 mg/kg (rabbit) 8,000 mg/l (rat)
Inhalative	LC50/4 h	8,000 mg/l (rat)

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes: Generally not hazardous for water.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Hand over to disposers of hazardous waste.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key number:

55903

Harzrückstände, nicht ausgehärtet gefährlich

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
		(Contd. on page 7

Printing date 17.11.2023

Version number 3 (replaces version 2)

Revision: 17.11.2023

Trade name POLYURETHANBESCHICHTUNG PU 600 KOMP. B

		(Contd. of page 6
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accord IMO instruments 	ing to Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Poisons Act

· Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H412 Harmful to aquatic life with long lasting effects.

EUH014 Reacts violently with water.

EUH204 Contains isocyanates. May produce an allergic reaction.

· Contact: chemikalieninfo@murexin.com (+43 02622/27401)

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 8)

GB

Printing date 17.11.2023

Version number 3 (replaces version 2)

Revision: 17.11.2023

Trade name POLYURETHANBESCHICHTUNG PU 600 KOMP. B

	td. of pag
ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreemen the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative	t Concerr
Flam. Liq. 3: Flammable liquids – Category 3	
Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 2: Acute toxicity – Category 2	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
Aquallo orifonio o. nazardous lo tre aquallo environment - long-term aquallo nazard – Oalegoly o	
* Data compared to the previous version altered.	
· ·	