Printing date 11.05.2023

Revision: 11.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- · Trade name POLYURETHANVERSIEGELUNG PU 40 KOMP. A
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Coating material
- 1.3 Details of the supplier of the safety data sheet
- *Manufacturer/Supplier:* MUREXIN GmbH Franz v. Furtenbachstr. 1 A-2700 Wiener Neustadt Tel.: +43 (0)2622/27401
- · Informing department: chemikalieninfo@murexin.com
- 1.4 Emergency telephone number:
- UK National poisons Emergency number.: +44 (0) 870 600 6266

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.
- · Hazard pictograms



· Signal word Warning

· Hazard-determining components of labelling:

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

1,2-benzisothiazol-3(2H)-one

- · Hazard statements
- H317 May cause an allergic skin reaction.
- Precautionary statements
- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P261 Avoid breathing mist/vapours/spray.
- P280 Wear protective gloves.
- P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

[•] 2.3 Other hazards

• Results of PBT and vPvB assessment

• **PBT:** Not applicable.

(Contd. on page 2)

GB

Printing date 11.05.2023

Version number 5 (replaces version 4)

Revision: 11.05.2023

Trade name POLYURETHANVERSIEGELUNG PU 40 KOMP. A

SECTION 3: Composition/information on ingredients

• **vPvB:** Not applicable.

Dangerous compo	nents:	
CAS: 1336-21-6 EINECS: 215-647-6	ammonia, aqueous solution Skin Corr. 1B, H314 Aquatic Acute 1, H400 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	<0.25%
CAS: 2634-33-5 EINECS: 220-120-9	 1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318 Aquatic Acute 1, H400 Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 % 	<0.05%
CAS: 55965-84-9	 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 1, H310; Acute Tox. 2, H330 Skin Corr. 1B, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100) Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % 	≥0.0015-<0.00259

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information Instantly remove any clothing soiled by the product.

- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

Instantly wash with water and soap and rinse thoroughly.

- If skin irritation continues, consult a doctor.
- After eye contact Rinse opened eye for several minutes under running water.
- After swallowing In case of persistent symptoms consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents Use fire fighting measures that suit the environment.

(Contd. on page 3)

(Contd. of page 1)

⁻ GB

Printing date 11.05.2023

Version number 5 (replaces version 4)

Trade name POLYURETHANVERSIEGELUNG PU 40 KOMP. A

(Contd. of page 2)

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

• 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** *Wear protective clothing.*
- 6.2 Environmental precautions:
- Do not allow product to reach sewage system or water bodies. Dilute with much water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

• Requirements to be met by storerooms and containers: Store only in the original container.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.

· Storage class 10

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the compilation were used as basis.

- [•] 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- [.] Individual protection measures, such as personal protective equipment
- General protective and hygienic measures The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

· Breathing equipment: Not necessary if room is well-ventilated.

• Hand protection

Protective gloves.

(Contd. on page 4)

____ GВ

Printing date 11.05.2023

Version number 5 (replaces version 4)

Revision: 11.05.2023

Trade name POLYURETHANVERSIEGELUNG PU 40 KOMP. A

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Safety glasses recommended during refilling.
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties		
• 9.1 Information on basic physical and chem	ical properties	
· General Information		
· Physical state	Fluid	
· Colour:	Various colours	
· Smell:	Odourless	
· Odour threshold:	Not determined.	
 Melting point/freezing point: 	Not determined	
Boiling point or initial boiling point and		
boiling range	100 °C (7732-18-5 water, distilled, conductivity or	
5 5	of similar purity)	
· Flammability	Not applicable.	
· Lower and upper explosion limit	, ,	
· Lower:	Not determined.	
· Upper:	Not determined.	
Flash point:	>100 °C	
Decomposition temperature:	Not determined.	
· pH at 20 °C	8	
· Viscosity:	-	
· Kinematic viscosity	Not determined.	
· dynamic:	Not determined.	
Solubility		
· Water:	Not determined.	
· Partition coefficient n-octanol/water (log		
value)	Not determined.	
· Steam pressure at 20 °C:	23 hPa (7732-18-5 water, distilled, conductivity or	
	of similar purity)	
Density and/or relative density		
· Density at 20 °C	1.2 g/cm³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
9.2 Other information		
· Appearance:		
Form:	Fluid	
Important information on protection of heal	th	
and environment, and on safety.	_	
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Change in condition		
· Evaporation rate	Not determined.	
	(Contd. on page 5)	

GB

Printing date 11.05.2023

Version number 5 (replaces version 4)

Revision: 11.05.2023

Trade name POLYURETHANVERSIEGELUNG PU 40 KOMP. A

	()	Contd. of page
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: None

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Additional toxicological information:
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) -

11.2 Information on other hazards

Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

Decamethylcyclopentasiloxan

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

• **12.2 Persistence and degradability** No further relevant information available.

- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

(Contd. on page 6)

List II

List II

GB

Printing date 11.05.2023

Version number 5 (replaces version 4)

Revision: 11.05.2023

Trade name POLYURETHANVERSIEGELUNG PU 40 KOMP. A

(Contd. of page 5)

12.7 Other adverse effects

· Additional ecological information:

General notes:

Water hazard class (Germany) 2 (Self-assessment): hazardous for water. Do not allow product to reach ground water, water bodies or sewage system. Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, IMDG, IATA 	Void	
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
· 14.4 Packing group		
ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
 14.6 Special precautions for user 	Not applicable.	
· 14.7 Maritime transport in bulk according to		
IMO instruments	Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. (Contd. on page 7)

GB

Printing date 11.05.2023

Version number 5 (replaces version 4)

Revision: 11.05.2023

Trade name POLYURETHANVERSIEGELUNG PU 40 KOMP. A

(Contd. of page 6)	
· Relevant phrases	
H301 Toxic if swallowed.	
H302 Harmful if swallowed.	
H310 Fatal in contact with skin.	
H314 Causes severe skin burns and eye damage.	
H315 Causes skin irritation.	
H317 May cause an allergic skin reaction.	
H318 Causes serious eye damage.	
H330 Fatal if inhaled.	
H400 Very toxic to aquatic life.	
H410 Very toxic to aquatic life with long lasting effects.	
 Contact: chemikalieninfo@murexin.com (+43 02622/27401) 	
· Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations	
Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)	
ICAO: International Civil Aviation Organisation	
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning	
the International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 3: Acute toxicity – Category 4	
Acute Tox. 1: Acute toxicity – Category 1	
Acute Tox. 2: Acute toxicity – Category 2	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 1A: Skin sensitisation – Category 1A	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
• * Data compared to the previous version altered.	